

PRODUCT INFORMATION

Item Number	DR300
Product Colour	Gold
Size Range	7-11
Primary Coating Polymer	Nitrile
Grip	Microfoam Nitrile
Heat Resistance	Contact Heat Level 2
Abrasion Level	4

FEATURES

Flexibility: This unique glove with 360 micro-foam coating has the look and style of a conventional leather drivers glove but is considerably lighter in weight and more dexterous

Lining: Fleecy lining keeps hands warm and comfortable in cold conditions

Cut Resistant: Achieves cut level B according to EN388, for protection in medium/low risk cut hazard applications

Closure: Adjustable Velcro wrist strap ensures a secure fit and helps to keep hands free from dust and debris

Cold Contact: Provides Cold Contact Level 1 performance according to EN 511

Heat Resistant: Achieves Level 2 for Contact Heat according to EN407. Can withstand temperatures of 250°C

Abrasion Resistant: Achieves a maximum score of Level 4 for abrasion resistance as defined by European Standard EN388

Grip: The palm coating is infused with microfoam bubbles increasing resistance to oils and maximising grip in wet and oily handling environments

Primary Coating Polymer: Nitrile

Unique Feature: Sanitized™ glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection.



SECTORS

Construction and Utility • Warehousing, Transport, and Logistics
• Waste Management and Local Authority

STANDARDS

EN 388 Protective gloves against Mechanical Risks: 4X21B
EN 407 Protective gloves against Thermal Risks (heat and/or fire): X2XXXX
EN 511 Protective gloves against Cold: 11X
EN ISO 21420:2020 Protective gloves: General requirements



STORAGE INSTRUCTIONS

Store in dry conditions, away from direct sunlight and extreme heat. It is recommended to retain the packaging for reference. Always inspect gloves prior to use and do not use if damaged or showing signs of wear and tear.

DISPOSAL INSTRUCTIONS

Dispose of the product responsibly in accordance with local regulations.

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555

PACKING

1 pair per bag
50 bags per case
16 cases per pallet

Size	Outer Packaging Barcode
7	05010699848512
8	05010699842428
9	05010699842435
10	05010699842442
11	05010699848529

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555