



PRODUCT INFORMATION

Item Number	GH500
Product Colour	Grey
Size Range	7 - 11
Primary Coating Polymer	Polyurethane
Grip	Polyurethane Coating
Cut Score	F
Heat Resistance	Contact Heat Level 1

FEATURES

Cut Resistant: Achieves cut level F according to EN388, for protection in the highest risk cut hazard applications

Abrasion Resistant: Polyurethane palm coating provides outstanding abrasion resistance and an excellent grip

Heat Resistant: Achieves Level 1 for Contact Heat according to EN407. Can withstand temperatures of 100°C

Closure: Elasticated knitted wrist provides a secure fit and keeps hands free from dirt and debris

Abrasion Resistant: Achieves a maximum score of Level 4 for abrasion resistance as defined by European Standard EN388

Primary Coating Polymer: Polyurethane

Environmental: Gloves supplied in paper bands

SECTORS

Automotive • Construction and Utility • Engineering and Manufacturing • Oil, Gas, and Renewables • Warehousing, Transport, and Logistics • Waste Management and Local Authority



STANDARDS

EN 388 Protective gloves against Mechanical Risks: 4X43F
EN 407 Protective gloves against Thermal Risks (heat and/or fire)
EN ISO 21420:2020 Protective gloves: General requirements



PPE CAT II



4X43F



X1XXXX

CAUTION

May contain latex in elasticated cuff which can cause allergic reactions, including anaphylactic response.

STORAGE INSTRUCTIONS

Store in dry conditions, away from direct sunlight and extreme heat. You are advised to retain the packaging for reference. Always inspect gloves prior to use and do not use if damaged or showing signs of wear.

DISPOSAL INSTRUCTIONS

Dispose of responsibly and in line with local guidance.

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555

**PACKING**

1 pair per paper band
12 pairs per paper bundle band
144 pairs per case
24 cases per pallet

Size	Outer Packaging Barcode
7	05010699859150
8	05010699859167
9	05010699859174
10	05010699859181
11	05010699859198

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555